

Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin

Sofia-Interco@eurofins.de
<http://www.eurofins.de/Sofia>

Eurofins Miljø A/S
 Ladelundvej 85
 6600 Vejen
 DÄNEMARK

Person in charge Mr. M. Wolter
ASM Mr. M. Wolter

Report date 13.09.2018

Analytical report

AR-18-SF-053299-01



Sample Code

724-2018-00054236

Reference

Trinkwasser
 500 ml Gron flaske
 Rekvisition
 Eurofins Miljø A/S
 Eurofins Miljø A/S
 06.09.2018
 DHL
 EUDKVE00010213
 03.09.2018
 835-2018-70921401
 06.09.2018
 13.09.2018

Sample sender

Prescriber

Reception date time

Transport by

Client Purchase order nr.

Purchase order date

Client sample code

Start analysis

End analysis

Analysis	Testcode	Method
pesticide screening in water - LC/MS/MS	SFWDO	Internal Method

Test results

Parameter	Measurement	Unit	Result	LOQ
SFWD0: LC-MS/MS [LC-MS/MS] // LA-LCMS-027-05 (#)				
Screened pesticides	LC-MS/MS [LC-MS/MS]		<LOQ	


LOQ = Limit of Quantification

MRL = Maximum Residue Level

<LOQ = below limit of quantification

(#) = SOFIA (Berlin) is accredited for this test.

Signature



Analytical Service Manager (Moritz Wolter)

Page 2/

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE155557279
 Gerichtstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH
 (DAkkS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde
 aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on
 request

List of analysed substances:**SFWD0 pesticide screening in water - LC/MS/MS**

Substance	Reporting Limit µg/l	Substance	Reporting Limit µg/l
2,4'-Formoxylidid (Amitraz Metabolite)	0.05	3-Hydroxycarbofuran	0.05
6-Chlor-3-phenylpyridazin-4-ol	0.05	Abamectin	0.05
Acephate	0.05	Acetamiprid	0.05
Acetochlor	0.05	Alachlor	0.05
Aldicarb	0.05	Aldicarb-sulfone	0.05
Aldicarb-sulfoxide	0.05	Ametoctradin	0.05
Ametryn	0.05	Amidosulfuron	0.05
Aminocarb	0.05	Amitraz	0.05
Ancymidol	0.05	Atrazin, desethyl-	0.05
Atrazine	0.05	Azaconazole	0.05
Azamethiphos	0.05	Aziprotryn	0.05
Azoxystrobin	0.05	Benalaxyil	0.05
Bendiocarb	0.05	Benfuracarb	0.05
Benodanil	0.05	Benomyl	0.05
Bensulfuron methyl	0.05	Benthiavalicarb, isopropyl-	0.05
Bitertanol	0.05	Boscalid	0.05
Bromacil	0.05	Bupirimate	0.05
Buprofezin	0.05	Butachlor	0.05
Butocarboxim	0.05	Butocarboxim-sulfoxide	0.05
Butoxycarboxim	0.05	Buturon	0.05
Cadusaphos	0.05	Carbaryl	0.05
Carbendazim	0.05	Carbofuran	0.05
Carbosulfan	0.05	Carboxin	0.05
Chlorantraniliprole	0.05	Chlorbromuron	0.05
Chlorfluazuron	0.05	Chloridazone	0.05
Chlorotoluron	0.05	Chloroxuron	0.05
Chlorpropham	0.05	Chlorsulfuron	0.05
Cinidon-ethyl	0.05	Cinosulfuron	0.05
Clethodim	0.05	Clodinafop-propargyl	0.05
Clofentezine	0.05	Clomazone	0.05
Clothianidin	0.05	Cyanazine	0.05
Cyazofamid	0.05	Cymoxanil	0.05
Cyproconazole	0.05	Cyprodinil	0.05
Cyprofuram	0.05	Cyromazine	0.05
Demeton	0.05	Demeton-S-methyl	0.05
Demeton-S-methyl-sulfone	0.05	Desmedipham	0.05
Desmetryn	0.05	Diazinon	0.05
Dichlorvos	0.05	Diclobutrazol	0.05

Page 3/7

The results of examination refer exclusively to the checked samples.
 Duplicates - even in parts - must be authorized by the test laboratory in written form.
 Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
 General Manager: Dr. Peter Schlüsche
 VAT No.: DE155557279
 Gerichtstand AG Berlin Charlottenburg HRB 45977
 Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
 ID.Nr.:DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH
(DAkkS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde
aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on
request

SFWD0 pesticide screening in water - LC/MS/MS

Substance	Reporting Limit µg/l	Substance	Reporting Limit µg/l
Diethofencarb	0.05	Diethyltoluamide	0.05
Difenoconazole	0.05	Difenoxuron	0.05
Diflubenzuron	0.05	Diflufenican	0.05
Dimefox	0.05	Dimefuron	0.05
Dimethenamid	0.05	Dimethoate	0.05
Dimethomorph	0.05	Dimetilan	0.05
Dimoxystrobin	0.05	Dinotefuran	0.05
Disulfoton	0.05	Disulfoton-sulfon	0.05
Disulfoton-sulfoxide	0.05	Diuron	0.05
Emamectin (Sum)	0.05	Epoxiconazole	0.05
Ethiofencarb	0.05	Ethiofencarb-sulfone	0.05
Ethiofencarb-sulfoxide	0.05	Ethiprole	0.05
Ethofumesat-2-keto	0.05	Ethofumesate	0.05
Ethoprophos	0.05	Etofenprox	0.05
Etoxazole	0.05	Famoxadone	0.05
Fenamidone	0.05	Fenamiphos	0.05
Fenamiphos-sulfone	0.05	Fenamiphos-sulfoxide	0.05
Fenarimol	0.05	Fenazaquin	0.05
Fenbuconazole	0.05	Fenhexamid	0.05
Fenobucarb	0.05	Fenoxyprop-ethyl	0.05
Fenoxy carb	0.05	Fenpiclonil	0.05
Fenpropidin	0.05	Fenpropimorph	0.05
Fenpyroximate	0.05	Fensulfothion	0.05
Fensulfothion-oxon-sulfone	0.05	Fensulfothion-oxon-sulfoxide	0.05
Fensulfothion-sulfone	0.05	Fenthion	0.05
Fenthion-oxon	0.05	Fenthion-oxon-sulfone	0.05
Fenthion-oxon-sulfoxide	0.05	Fenthion-sulfone	0.05
Fenthion-sulfoxide	0.05	Fenuron	0.05
Flazasulfuron	0.05	Flonicamid	0.05
Florasulam	0.05	Fluazifop-P-butyl	0.05
Fluazuron	0.05	Flucycloxuron	0.05
Fludioxonil	0.05	Flufenacet	0.05
Flufenoxuron	0.05	Fluometuron	0.05
Fluopicolid	0.05	Flurochloridone	0.05
Flurprimidol	0.05	Flusilazole	0.05
Flutriafol	0.05	FM-6-1	0.05
Formetanate	0.05	Fosthiazate	0.05
Fuberidazole	0.05	Furathiocarb	0.05
Halofenozone	0.05	Haloxyfop-2-ethoxyethyl	0.05
Haloxylfop-methyl	0.05	Hexaconazole	0.05
Hexaflumuron	0.05	Hexazinone	0.05
Hexythiazox	0.05	Imazalil	0.05
Imibenconazole	0.05	Imidacloprid	0.05

Page 4/7

The results of examination refer exclusively to the checked samples.
Duplicates - even in parts - must be authorized by the test laboratory in written form.
Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
General Manager: Dr. Peter Schlüsche
VAT No.: DE155557279
Gerichtstand AG Berlin Charlottenburg HRB 45977
Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
ID.Nr.:DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH
(DAkkS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde
aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on
request

SFWD0 pesticide screening in water - LC/MS/MS

Substance	Reporting Limit µg/l	Substance	Reporting Limit µg/l
Indoxacarb	0.05	Iodosulfuron methyl	0.05
Iprovalicarb	0.05	Isopropcarb	0.05
Isoprothiolane	0.05	Isoproturon	0.05
Isoxaben	0.05	Isoxaflutole	0.05
Isoxathion	0.05	Lenacil	0.05
Linuron	0.05	Lufenuron	0.05
Malaoxon	0.05	Malathion	0.05
Mandipropamid	0.05	Mepanipyrim	0.05
Metalaxyl	0.05	Metamitron	0.05
Metazachlor	0.05	Metconazole	0.05
Methabenzthiazuron	0.05	Methacriphos	0.05
Methamidophos	0.05	Methidathion	0.05
Methiocarb	0.05	Methiocarb-sulfone	0.05
Methiocarb-sulfoxide	0.05	Methomyl	0.05
Methoprotryne	0.05	Methoxyfenozide	0.05
Metobromuron	0.05	Metolachlor	0.05
Metolcarb	0.05	Metoxuron	0.05
Metrafenone	0.05	Metribuzin	0.05
Metsulfuron-methyl	0.05	Molinate	0.05
Monocrotophos	0.05	Monolinuron	0.05
Monuron	0.05	Napropamide	0.05
Neburon	0.05	Nicosulfuron	0.05
Novaluron	0.05	Nuarimol	0.05
Ofurace	0.05	Omethoate	0.05
Orbencarb	0.05	Oxadixyl	0.05
Oxamyl	0.05	Oxamyl-oxime	0.05
Oxydemeton-methyl	0.05	Paclobutrazol	0.05
Paraoxon-ethyl	0.05	Paraoxon-methyl	0.05
Penconazole	0.05	Pencycuron	0.05
Pendimethalin	0.05	Pentanochlor	0.05
Phenmediphosph	0.05	Phorate	0.05
Phorate-sulfone	0.05	Phorate-sulfoxide	0.05
Phosmet	0.05	Phosphamidon	0.05
Phoxim	0.05	Picoxystrobin	0.05
Piperonyl butoxide	0.05	Pirimicarb	0.05
Pirimicarb, desmethyl-	0.05	Pirimicarb, desmethyl-formamido-	0.05
Primisulfuron-methyl	0.05	Prochloraz	0.05
Promecarb	0.05	Prometon	0.05
Prometryn	0.05	Propamocarb	0.05
Propargite	0.05	Propazine	0.05
Propham	0.05	Propiconazole	0.05
Propoxur	0.05	Propoxycarbazone	0.05
Proquinazid	0.05	Prosulfocarb	0.05

Page 5/7

The results of examination refer exclusively to the checked samples.
Duplicates - even in parts - must be authorized by the test laboratory in written form.
Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
General Manager: Dr. Peter Schlüsse
VAT No.: DE155557279
Gerichtstand AG Berlin Charlottenburg HRB 45977
Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
ID.Nr.:DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH
(DAkkS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde
aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on
request

SFWD0 pesticide screening in water - LC/MS/MS

Substance	Reporting Limit µg/l	Substance	Reporting Limit µg/l
Prosulfuron	0.05	Pymetrozine	0.05
Pyraclostrobin	0.05	Pyraflufen-ethyl	0.05
Pyrethrins	5	Pyridate	0.05
Pyrimethanil	0.05	Pyrimidifen	0.05
Pyriproxyfen	0.05	Quizalofop ethyl	0.05
Rabenazazole	0.05	Rimsulfuron	0.05
Rotenone	0.05	Sebutylazine	0.05
Sethoxydim	0.05	Silafluofen	0.05
Simazine	0.05	Simazine, desethyl-	0.05
Simeconazole	0.05	Spinosad	0.05
Spirodiclofen	0.05	Spiromesifen	0.05
Spirotetramat	0.05	Spiroxamine	0.05
Tebuconazole	0.05	Tebufenozide	0.05
Tebufenpyrad	0.05	Teflubenzuron	0.05
TEPP	0.05	Terbacil	0.05
Terbufos	0.05	Terbufos-sulfone	0.05
Terbufos-sulfoxide	0.05	Terbutylazine	0.05
Terbutylazine, desethyl-	0.05	Terbutryn	0.05
Tetraconazole	0.05	Thiabendazole	0.05
Thiabendazole, 5-hydroxy-	0.05	Thiacloprid	0.05
Thiamethoxam	0.05	Thiazafluron	0.05
Thifensulfuron methyl	0.05	Thiocarbazil	0.05
Thiodicarb	0.05	Thiofanox	0.05
Thiofanox-sulfone	0.05	Thiofanox-sulfone	0.05
Thiofanox-sulfoxide	0.05	Thiofanox-sulfoxide	0.05
Thiometon	0.05	Thionazin	0.05
Thiophanate (-ethyl)	0.05	Thiophanate-methyl	0.05
Triadimefon	0.05	Triadimenol	0.05
Triamiphos	0.05	Triasulfuron	0.05
Triazamate	0.05	Triazophos	0.05
Tribenuron-methyl	0.05	Trichlorfon	0.05
Tricyclazole	0.05	Tridemorph	0.05
Trietazine	0.05	Trifloxystrobin	0.05
Trifloxsulfuron	0.05	Triflumizole	0.05
Triflumuron	0.05	Triflusulfuron-methyl	0.05
Triforine	0.05	Trimethacarb, 3,4,5-	0.05
Triticonazole	0.05	Uniconazole	0.05
Vamidothion	0.05	Vamidothion-sulfone	0.05
Vamidothion-sulfoxide	0.05	Zoxamide	0.05

Page 6/7

The results of examination refer exclusively to the checked samples.
Duplicates - even in parts - must be authorized by the test laboratory in written form.
Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
General Manager: Dr. Peter Schlüsche
VAT No.: DE155557279
Gerichtsstand AG Berlin Charlottenburg HRB 45977
Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
ID.Nr.:DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH
(DAkkS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde
aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on
request

Page 7/

The results of examination refer exclusively to the checked samples.
Duplicates - even in parts - must be authorized by the test laboratory in written form.
Eurofins Sofia GmbH · Rudower Chaussee 29 · 12489 Berlin
General Manager: Dr. Peter Schlüsche
VAT No.: DE155557279
Gerichtstand AG Berlin Charlottenburg HRB 45977
Nord/LB IBAN: DE58 2505 0000 0199 9188 63, BIC-/SWIFT-Code NOLADE2HXXX
ID.Nr.-DE155557279

Our General Terms & Conditions, available upon request and online at
<http://www.eurofins.de/lebensmittel/kontakt/avb.aspx>, shall apply.



Durch die Deutsche Akkreditierungsstelle GmbH
(DAkkS) akkreditiertes Prüflaboratorium.

DIN EN ISO/IEC 17025:2005

Die Akkreditierung gilt für die in der Urkunde
aufgeführten Prüfverfahren

List of accredited sites and scopes can be delivered on
request